



YAGI 6 ELEMENTS UHF ANTENNA

R-Y 611 NZ, 435 ÷ 470 MHz

R-4.06.001.01


POLOMARCONI.IT

POLOMARCONI offers a very wide range of wireless products. Our products can be tailored according to the customer's need.

PMR

Electrical Specifications

Frequency band (MHz)	435 ÷ 470
Input Impedance (Ω)	50
VSWR at resonant frequency	< 1.5:1
Continuous Max. Power (W)	150
Polarization	vertical or horizontal
Gain (dBd)	8
HPBW ($^{\circ}$) - E-plane	50
HPBW ($^{\circ}$) - H-plane	60
Front to back Ratio (dBd)	> 15
Operating Temp. Range ($^{\circ}$ C)	-35 ÷ +80



DESCRIPTION

Yagi 6 elements antenna for UHF band.
All parts of the antenna are DC grounded from lightning protection.

Mechanical Specifications

Connector	N f	
Dimensions (mm)	360 x 1015	
Weight (kg)	2.6	
Max. wind velocity (km/h)	160	
Materials	boom elements	Aluminum alloy DIN 3.2315 Aluminum alloy DIN 3.2306
Mounting mast tube \varnothing (mm)	33 ÷ 60	

Radiation Patterns

